



RESPECT • SUPPORT • INSPIRE



Precision Workholding Technology

DYNOGRIP™ TOP PALLETS

DYNOGRIP™ TOP PALLETS


MATE™ 52 TOP PALLETS

Mate DynoGrip[™] top pallets increase the versatility of your zero-point workholding set-up. They accommodate parts that do not easily fit in Mate's self-centering vises or ER collet chucks. Mate DynoGrip top pallets are designed as blanks so they can be modified and configured with conventional clamping devices to meet your specific application needs. Fully compatible with Mate 52- and 96-series DynoLock[™] bases, Mate DynoGrip top pallets deliver modular quick-change top tooling with best-in-class repeatability.

Product highlights:

- 4140 steel construction with black oxide finish
- Compatible with DynoLock™ 52- and 96-series bases (pull studs included)
- · Optional removable handle for improved ergonomics during loading and unloading
- · Made in USA

M5MPS-104			
	Information	Metric	Imperial
Series	52		
Length		104mm	4.09"
Width		104mm	4.09"
Height		29mm	1.13"
Weight		2.5kg	5.4lbs
Material	4140 Steel		



M5MPS-156			
	Information	Metric	Imperial
Series	52		
Length		156mm	6.14"
Width		156mm	6.14"
Height		29mm	1.13"
Weight		5.4kg	11.9lbs
Material	4140 Steel		

⟨ S Dyn	OCTIP III	•	
156 (6.14)		156(6.14)	-
Dynastrip" Mares-16	28.58 (1.125)	0	0

MOMAC-HA-117*			
What's included with M0MAC-HA-117:			
Description	Part Number	Quantity	
Handle	MATE02997	2	
Socket Head Cap Screw	SHC12167	4	





[Dimensions in mm(in)]. Images are proportionate but not to scale

MATE™ 96 TOP PALLETS

Mate DynoGrip[™] top pallets increase the versatility of your zero-point workholding set-up. They accommodate parts that do not easily fit in Mate's self-centering vises or ER collet chucks. Mate DynoGrip top pallets are designed as blanks so they can be modified and configured with conventional clamping devices to meet your specific application needs. Fully compatible with Mate 52- and 96-series DynoLock[™] bases, Mate DynoGrip top pallets deliver modular quick-change top tooling with best-in-class repeatability.

Product highlights:

- 4140 steel construction with black oxide finish
- Compatible with DynoLock[™] 52- and 96-series bases (pull studs included)
- · Optional removable handle for improved ergonomics during loading and unloading
- Made in USA

M9MPS-156			
	Information	Metric	Imperial
Series	96		
Length		156mm	6.14"
Width		156mm	6.14"
Height		29mm	1.13"
Weight		5.5kg	12.1lbs
Material	4140 Steel		




M9MPS-192			
	Information	Metric	Imperial
Series	96		
Length		192mm	7.56"
Width		192mm	7.56"
Height		29mm	1.13"
Weight		8.2kg	18.1lbs
Material	4140 Steel		



MOMAC-HA-117*

What's included with M0MAC-HA-117:

Description	Part Number	Quantity
Handle	MATE02997	2
Socket Head Cap Screw	SHC12167	4



[Dimensions in mm(in)]. Images are proportionate but not to scale.





MATE PRECISION TECHNOLOGIES GLOBAL COVERAGE

WORLDWIDE HEADQUARTERS:

1295 Lund Boulevard, Anoka, Minnesota 55303 USA Tel +1.763.421.0230 mate.com

orders@mate.com